

30 January 2017

## Clean TeQ Investor Presentation

Co-Chairman of Clean TeQ Holdings Limited (ASX:CLQ) (**Clean TeQ** or **Company**) Mr Robert Friedland will be presenting the Company at a number of investor events over the next week including the *Arlington Pre-daba Conference* in Hermanus near Cape Town on 3-5 February 2017 and *Indaba: Investing in African Mining Conference* on 6-9 February 2017 in Cape Town. Mr Friedland's presentation for the events is attached.

**For more information about Clean TeQ contact:**

Sam Riggall, Executive Chairman or Ben Stockdale, CFO

+61 3 9797 6700

**About Clean TeQ Holdings Limited (ASX: CLQ)** – Based in Melbourne, Clean TeQ, using its proprietary Clean-iX® continuous ion exchange technology, is a leader in metals recovery and industrial water treatment.

**About the Syerston Project** – Clean TeQ is the 100% owner of the Syerston Project, located in New South Wales. The Syerston Project is one of the largest and highest grade scandium deposits in the world and one of the highest grade and largest nickel and cobalt deposit outside of Africa.

For more information about Clean TeQ please visit the Company's website [www.cleanteq.com](http://www.cleanteq.com).

*This release may contain forward-looking statements. The actual results could differ materially from a conclusion, forecast or projection in the forward-looking information. Certain material factors or assumptions were applied in drawing a conclusion or making a forecast or projection as reflected in the forward-looking information.*



*Powering innovation*


---

**SYERSTON  
NICKEL COBALT SCANDIUM  
PROJECT**

THE FUTURE OF  
ELECTRIC METALS

ROBERT FRIEDLAND, CO-CHAIRMAN  
February 2017

(ASX:CLQ)



# DISCLAIMER

---

## IMPORTANT INFORMATION

This presentation has been prepared by the management of Clean TeQ Holdings Limited (the 'Company') in connection with meetings with investors and potential investors and not as specific advice to any particular party or person. The information is based on publicly available information, internally developed data and other sources. Where any opinion is expressed in this presentation, it is based on the assumptions and limitations mentioned herein and is an expression of present opinion only. No warranties or representations can be made as to the origin, validity, accuracy, completeness, currency or reliability of the information. The Company disclaims and excludes all liability (to the extent permitted by law) for losses, claims, damages, demands, costs and expenses of whatever nature arising in any way out of or in connection with the information, its accuracy, completeness or by reason of reliance by any person on any of it.

Certain statements in this presentation are forward looking statements. By their nature, forward looking statements involve a number of risks, uncertainties or assumptions that could cause actual results or events to differ materially from those expressed or implied by the forward looking statements. These risks, uncertainties or assumptions could adversely affect the outcome and financial effects of the plans and events described herein. Forward looking statements contained in this presentation regarding past trends or activities should not be taken as representation that such trends or activities will continue in the future. You should not place undue reliance on forward looking statements, which apply only as of the date of this presentation.

Actual results and developments of projects and nickel, cobalt and scandium market development may differ materially from those expressed or implied by these forward looking statements depending on a variety of factors.

This presentation does not constitute or form part of any offer or invitation to sell, or any solicitation of any offer to purchase any shares in the Company, nor shall it or any part of it or the fact of its distribution form the basis of, or be relied on in connection with, any contract or commitment or investment decisions relating thereto, nor does it constitute a recommendation regarding the shares of the Company. Past performance cannot be relied upon as a guide to future performance.

Please refer to the back of this presentation for information concerning the calculation of reserves and resources referred to herein, and the consents provide the respective Competent Persons.

For further details on the content of this presentation, please refer to the ASX releases on the Company's website.

# AN ELECTRIC REVOLUTION IS COMING

---



1990



2010



SHANGHAI  
1990 POPULATION: 13M  
2010 POPULATION: 23M

# DEMOGRAPHIC TRENDS ARE CLEAR

URBANISATION – THE GREATEST CHALLENGE OF OUR TIME

Our planet gains approximately **83 million** people every year

By 2030 Earth will have a projected 8.5 billion people, of which **5 billion will live in urban areas**

That is **1 billion more urban residents** than we have today, resulting in massive **social and environmental challenges**

Source: United Nations




## Air pollution is now the world's largest single environmental health risk

“Some 3 million deaths a year are linked to exposure to outdoor air pollution... Nearly 90% of air-pollution-related deaths occur in low- and middle-income countries...”

PM<sub>2.5</sub> includes pollutants such as sulfate, nitrates and black carbon, which penetrate deep into the lungs and in the cardiovascular system, posing the greatest risks to human health.”

- WHO Global Air Pollution Study, 2016




# EU EMISSION LIMITS

## THE GENESIS OF DIESELGATE

“Diesel was seen as a good thing because it produces less CO<sub>2</sub>, so we gave people incentives to buy diesel cars.”

- Martin Williams, Former head of the UK Government’s Air Quality Science Unit

## EU Regulations – CO<sub>2</sub> Emissions and Penalties



<sup>1</sup> Assumption: in comparison to today's average European CO<sub>2</sub> emission of 140 g CO<sub>2</sub> per km per car; penalties for exceeding CO<sub>2</sub> emissions in 2020: for 1st gram EUR 5, 2nd gram EUR 15, 3rd gram EUR 25, 4th gram and beyond EUR 95; penalties in 2025: EUR 190 for each gram

Source: McKinsey & Co, *Lightweight, Heavy Impact* (2012)

# DIESELGATE

...BUT DIESEL CANNOT MEET NO<sub>x</sub> / PM<sub>2.5</sub> EMISSION LIMITS


“You have power, you have energy, you have emissions: you get to choose two of them.”

- Don Hillebrand, Argonne National Laboratory and former president of the Society for Automotive Engineers

“We’ve totally screwed up.”

- Volkswagen’s U.S. CEO Michael Horn during the Dieselgate crisis

Comparison of NO<sub>x</sub> emission standards for different Euro classes



Source: EEA (European Environment Agency), 2016



# NOT JUST A THIRD WORLD PROBLEM

## GOVERNMENT REGULATION IS ESCALATING

Paris, Madrid, Mexico City and Athens have announced **plans to ban diesel vehicles** from their cities by 2025

The German parliament has voted to **ban the sale of petrol and diesel vehicles** from 2030, and has urged the EU to extend the ban to the entire EU





“Car companies say they are reaching the limit of what is doable with conventional technology ... Tougher CO<sub>2</sub> emissions targets will accelerate the push to electrification.”

- Automotive News Europe, *European automakers call for CO<sub>2</sub> emissions delay*, June 2015



## WELL-TO-WHEELS EV MILES PER GALLON EQUIVALENT (MPG<sub>ghg</sub>) BY ELECTRICITY SOURCE

Energy Source	MPG <sub>ghg</sub>
Coal	30
Oil	32
Natural Gas	54
Solar	500
Nuclear	2,000
Wind	3,900
Hydro	5,800
Geothermal	7,600

Even EV's charged **100% on coal** have lower GHG emissions intensity than the average US passenger vehicle

Table Source: State of Charge, *Electric Vehicles' Global Warming Emissions and Fuel-Cost Savings across the United States*, 2012. EV efficiency assumed to be 0.34 kWh/mile based on the 2012 Nissan LEAF (note that the current Nissan LEAF achieves ~0.28kWh/mile). Production and consumption of gasoline is assumed to produce 11,200 g CO<sub>2</sub>e/gal.

# AUTOMAKERS ARE NOW RESPONDING

EV'S ARE MOVING TO THE MAINSTREAM



VW

Forecasting sales of **2 to 3 million pure EV's by 2025**, or 25% of sales, as well as potential investment in a **multi-billion euro battery plant**



BMW

Forecasting 100,000 x-EV sales in 2017, and targeting EV's as **15-25% of its worldwide sales by 2025**




DAIMLER

**Ten new EV models** by 2025 supported by a **€10 billion investment program**, potentially including **battery manufacturing**



TESLA

Tesla 3 was the **most successful automotive pre-launch in history**, with 400,000 buyers reserving a car for delivery from 2017



BP

BP is forecasting **100 million EV's** on the road – circa 10% of the global car fleet - by 2035



RANGE ANXIETY WILL BE ADDRESSED

Volkswagen, Daimler, BMW and Ford have agreed to jointly invest in **thousands of fast-charging sites** across Europe

EU regulations require **all new and renovated homes to come with an EV charger** by 2019

China's State Grid announced plans to build **10,000 charging stations and 120,000 poles by 2020** for major Chinese cities



Source: Reuters, 29 Nov 2016; CRI English.com, 12 Dec 2016

## Simplifying the drivetrain

Electric motors are far **simpler** than combustion engines

Lower maintenance costs and **higher reliability** – there is one moving part in an electric motor

Tank-to-wheel **efficiency** is ~16% in a combustion engine, versus ~70% in an electric motor<sup>1</sup>



1. Wells to wheels: electric car efficiency February 22, 2013: <https://matter2energy.wordpress.com/2013/02/22/wells-to-wheels-electric-car-efficiency/>
2. Electric motor and chassis images courtesy of Tesla

# BATTERY PACK COSTS ARE FALLING


## ECONOMIES OF SCALE AND THE EXPERIENCE CURVE



The last five years has seen a **20% pa cost reduction** in EV battery pack systems

At the current rate of improvement, EV drivetrains are **forecast to become competitive with combustion engines within 5 to 10 years**

Battery Costs Are Falling (\$/kWh)



Source: Deutsche Bank, Lithium 101, May 2016



SANYO, JAPAN, 2010



NISSAN, USA, 2013



TESLA, USA, 2017



SAMSUNG, CHINA, 2015



LG CHEM, CHINA, 2015



LG CHEM, USA, 2013-15

INVESTMENT IN NEW BATTERY CAPACITY IS VERY LARGE AND VERY REAL

THE SUPPLY CHAIN IS RESPONDING, FAST...

# NEW BATTERY CAPACITY IS COMING


ALREADY ~US\$20B OF COMMITTED INVESTMENT

Forecasting a **~4x increase** in global battery capacity over the next five years

China is now pushing for an aggressive California-style Zero Emission Vehicle (ZEV) program: **8% of all cars sold in China by 2018 will be EV, and 12% by 2020**

Given a 1% EV adoption rate in China today, that target translates to a **12x increase** in the number of electric cars to be sold in China by end of the decade

**US government policy changes** on renewables and energy storage is **likely to be immaterial** to global growth projections



Source: Deutsche Bank, Lithium 101, May 2016




# A RACE TO SECURE RAW MATERIALS

## CHINA'S AMBITIONS FOR A STRATEGIC INDUSTRY

### A steady stream of acquisitions

Year	Asset	Purchaser	Focus	Price
2010	Olaroz (ARG)	Toyota Tsusho / JOGMEC	Li	US\$62M + PF + Comp. Gtee
2012	Greenbushes (AUS) – 100%	Chengdu Tinaqui	Li	A\$815M
2012	Ruashi (DRC)	Jinshuan	<b>Co / Cu</b>	US\$1,300M
2014	Greenbushes (AUS) – 49%	Rockwood Lithium	Li	US\$474M
2015	CMSK (DRC)	Huayou Cobalt	<b>Co / Cu</b>	US\$52M
2015	Mt Marion (AUS)	Jiangxi Ganfeng	Li	US\$46.6M
2016	Tenke (DRC) – 56%	China Molybdenum	<b>Co / Cu</b>	US\$2,650M
2016	Kokkola (Finland)/ Kisanfu (DRC)	China Molybdenum	<b>Co</b>	US\$150M
2016	SQM – 2.1%	Tianqi Lithium	Li	US\$210M
2017	Altura Mining (AUS) – 20%	Shaanxi J&R Optimum Energy	Li	A\$42M

### Cathode Material Market Share (percentage)



Source: KDB Daewoo Securities, 2015


A microscopic view of numerous cathode particles, which are small, irregular, and porous-looking structures in shades of yellow and orange, scattered across a dark grey background. Three larger, more prominent particles are visible in the foreground: one on the left with a porous, spherical structure; one in the center with a cracked, crystalline structure; and one on the right that is smooth and spherical.

# CATHODE MARKET

---

# CHEMISTRY BY MARKET


## DOMINANT CHEMISTRIES FOR EV REQUIRE NICKEL AND COBALT



### LCO

(Lithium-Cobalt-Oxide)


Still one of the highest energy density chemistries, but expect to see only steady growth as automotive and utility-scale applications grow



### NCM

(Nickel-Cobalt-Manganese)


Experiencing fastest growth with a good mix of energy density, power, cost and safety for automotive applications; new chemistries constantly developing



### NCA

(Nickel-Cobalt-Aluminium)


Extremely high energy density, power and manufacturing experience make it a good candidate for automotive



### LMO

(Lithium-Manganese-Oxide)

Relatively low energy density (one-third of LCO), but the absence of cobalt makes this a low-cost alternative cathode material



### LFP

(Lithium-Iron-Phosphate)


Reasonable energy density but lower power; lower cost raw materials are offset by poor conductivity and higher unit costs from assembly process

Source: Avicenne Energy Analysis 2014


# CATHODE – THE KEY TO COST

A LITHIUM ION BATTERY IS A CoNiC BATTERY IN ALL BUT NAME


■ Raw Materials Margin  
■ Manufacturing Costs  
■ Producer



Raw Material Cost Breakdown



Metal Cost in Cathode Active Material



Source: Roland Berger (2012) and internal analysis. Assumes a 96Wh PHEV cell (26Ah, 3.7W) using NCM622 cathode chemistry. Cathode cost includes non-metallic materials (carbon black, binder, foil). Internal assumptions concerning split of costs assumes average long-term prices of Ni US\$7.00/lb; Co US\$12.00/lb; Mn US\$1.00/lb; Li US\$6.50/kg (as LCE).



“The main determinants on the cost of the cell are the price of the nickel **in the form that we need it** ... and the cost of the synthetic graphite with silicon oxide coating.”

- Elon Musk, Tesla CEO



NICKEL & COBALT  
SULPHATE

The EV battery industry requires **metal to be supplied as salts**, usually as sulphates, to manufacture cathode precursors

The cost of converting metal units to sulphate form is often represented in the market price by a '**sulphate premium**' paid over and above the contained metal value

# CATHODE DEMAND FORECAST

## IMPLICATIONS FOR RAW MATERIAL DEMAND

Use of nickel and cobalt dominant chemistries is accelerating in China


Of the 10 top selling Chinese EV's using LFP chemistry, six are already converting to NCM

“We believe this potential [Chinese] subsidy plan would further promote the development of NMC over LFP in the next few years. The **NMC penetration rate should climb significantly faster** than we previously expected.”

- Deutsche Bank, 2 Dec 2016

Cathode Raw Material Demand ('000 tonnes)

■ LCO ■ NCM ■ NCA ■ LMO ■ LFP



Source: 2015 data based on Avicenne Energy Analysis. 2025 case based on internal company estimates, utilising an EV adoption rate based on the average from five banks and industry consultant forecasts: HEV 5.7m, PHEV 2.7m, BEV 3.6m. EV applications forecast at 217 GWh. Non-EV applications forecast at 135GWh. Assumes an average battery size of 50kWh/BEV. No adjustments have been made for yield losses or process inefficiencies at pack or cell level, nor recycling rates.

# SYERSTON PROJECT

---



SYERSTON ORE

# SYERSTON PROJECT

---

## OVERVIEW

The Syerston mineral deposit is rich in nickel, cobalt and scandium, located 350km west of Sydney and 100% owned by Clean TeQ

Uniquely positioned as one of the largest and highest grade sources of cobalt outside Africa

Syerston will be the first mine developed to exclusively supply the global lithium ion battery industry, with high-purity nickel sulphate and cobalt sulphate




# WHY SYERSTON IS IMPORTANT

## PROTECTION AGAINST SUPPLY CHAIN AND REPUTATION RISK



100% auditable  
to the mine  
source




High volume  
cathode quality  
 $\text{CoSO}_4 \cdot 7\text{H}_2\text{O}$



Low risk country  
with minimal  
mining and  
processing risk



High volume  
cathode quality  
 $\text{NiSO}_4 \cdot 6\text{H}_2\text{O}$




$\text{Sc}_2\text{O}_3$  for  
stronger and  
lighter  
aluminum alloys

# SYERSTON ORE RESERVE

VERY LOW MINING RISK

Over **1,300 drill holes** have defined a significant nickel / cobalt / scandium **ore reserve**

The ore reserve is **shallow** (5m to 40m) and extends over a 2km horizon; **simple, low risk strip-mining with no blasting**



# 2016 PREFEASIBILITY STUDY

## SYERSTON CAN EASILY SUPPORT MULTIPLE GIGAFACTORIES

Parameter		Assumption / Output
Autoclave Throughput		2.5Mtpa <sup>1</sup>
Life of Mine		39 years
Initial operating period		20 years
Autoclave Feed Grade <sup>2</sup> (Year 3-20 average)	Nickel	0.80%
	Cobalt	0.14%
Production (Years 3-20 average)	Nickel sulphate	85,135tpa
	Cobalt sulphate	15,343tpa
Production (Years 3-20 average)	Contained nickel	18,730tpa
	Contained cobalt	3,222tpa
Recovery (Years 3-20 average)	Nickel	94.2%
	Cobalt	93.0%
Nickel price assumption <sup>3</sup>		US\$7.50/lb
Cobalt price assumption <sup>3</sup>		US\$12.00/lb
Exchange Rate		AUD/USD 0.75
Total Capital Cost <sup>4</sup>		US\$680M (A\$906M)
C1 Cash Cost (Year 3-20 average) <sup>5</sup>	before Co credits	US\$2.96/lb Ni
	after Co credits	US\$0.89/lb Ni
Net Present Value (NPV <sub>8</sub> ) – post tax <sup>6</sup>		US\$891M
Internal Rate of Return (IRR) – post tax		25%

<sup>1</sup> Designed processing throughput rate following a 24-month commissioning and ramp up period.

<sup>2</sup> Includes pit selection, dilution and mining factors

<sup>3</sup> Based on bank/broker long-term consensus market pricing for metal content only. Does not include premiums that are typically paid in the market for battery-grade nickel and cobalt sulphate

<sup>4</sup> Includes a US\$62M (A\$83M) contingency on capital costs

<sup>5</sup> C1 cash cost excludes potential by-product revenue from scandium oxide sales and royalties

<sup>6</sup> Post tax, 8% discount, 100% equity, real terms

# 26-28

GWh p.a.<sup>#</sup>

# 500,000

Electric Vehicles p.a.\*

Definitive Feasibility Study due for completion in Q4 2017

Scandium credits lift NPV<sub>8</sub> to US\$1.23 billion and IRR to 30%<sup>^</sup>

<sup>#</sup> Assumes NCA chemistry with Ni and Co content by wt% within cathode active material of 48% and 9% respectively, and energy density at 1.39kg/kWh

<sup>\*</sup> Assumes average energy density per battery pack of 50kWh

<sup>^</sup> See details in Prefeasibility Study announcement in ASX Release dated 5 October 2016

# COBALT

---

## A PROBLEMATIC SUPPLY CHAIN

“The majority of the cobalt is heading straight to China. Their global hold is huge.”

- CRU 2016

95%

Percentage of cobalt produced globally as by-product from copper and nickel mining

65%

Percentage of global cobalt production originating in the Democratic Republic of Congo

45%

Percentage of DRC cobalt mined artisanally

Source: Darton Cobalt Market Review 2015-2016



CHILDREN MINING COLTAN, KIVU REGION, DRC

“While the occasional [analyst] questions the availability of enough lithium or flake graphite to satisfy soaring demand from the battery industry, everybody has overlooked or ignored the most critical mineral constraint – Cobalt. It’s a truly gargantuan challenge. A Gigarisk!”  
- investorintel.com, March 2016

# COBALT PRICE

## RISING QUICKLY FROM HISTORIC LOWS

Cobalt was one of the best performing metals in 2016, with price increasing ~50% over the year

Significant upside in the event of supply disruption – China is adding to its strategic stockpiles

At Syerston cobalt is co-product, not by-product: cobalt is ~40% of Syerston's revenues at today's spot metal prices<sup>1</sup>



1. Prices taken as at 20 Jan 2017. Excludes scandium revenue.

# SCANDIUM


## SCANDIUM WILL REVOLUTIONISE THE ALUMINUM INDUSTRY

Small additions of scandium can give aluminum a strength approaching **titanium and steel alloys**, without the weight

“Addition of scandium to aluminium gives the **highest increase in strength (per atomic percent) of all alloying elements**”

– K. Venkateswarlu, et al, High Strength Aluminum Alloys with Emphasis on Scandium Addition, 2008

### Scandium Impact on Aluminum Yield Strength (Mpa)



Source: Hydro Aluminium R&D Sunndal, 2012

## Scandium – a case study

Airbus Group's Lightrider: the world's first 3D printed electric bike

Aluminum-scandium frame makes it lighter and stronger

The bike weighs 35kg, contains a 6kWh battery, has a top speed of 80km/h and a range of 60km

The most effective way to increase an EV's range and performance is to make it stronger and lighter



Syerston is uniquely positioned to benefit from and support the two key imperatives facing the global transport industry: **electrification and light weighting**





# NEXT STEPS

---

# PROJECT IS DEVELOPMENT READY

## KEY PERMITTING COMPLETED



### STUDIES

Prefeasibility Study completed, with Bankable Feasibility Study due for completion in Q4 2017



### INFRASTRUCTURE

All key infrastructure is available, including road and rail access



### EIS

Environmental Impact Statement completed and approved by Government



### POWER & GAS

Power and gas are within close proximity to the Project



### WATER

The Project has a 3.2GLpa water allocation granted by the NSW Government



PILOT PLANT

# PILOT PLANT

---

## EXTENSIVE PILOTING COMPLETED AND SAMPLES PRODUCED

Clean TeQ has a large scale pilot plant located in Perth, Western Australia to simulate the entire leaching and extraction process at scale

A pilot campaign in October 2016 to process 20 tonnes of Syerston ore will produce nickel and cobalt sulphate samples for customer sampling and testing

Scandium samples were produced and shipped in 2016

# INVESTMENT TAKEAWAYS

Forty year  
mine life

Exceptional  
cobalt deposit  
in OECD,  
100%  
auditable

Highly geared  
to emerging  
EV and ESS  
growth

World's  
largest and  
highest grade  
scandium  
resource

Key  
permitting in  
place

# RESERVES AND RESOURCES

---

## COMPETENT PERSON CONSENTS

The information in this document that relates to nickel-cobalt Mineral Resources is based on information compiled by Diederik Speijers and John McDonald, who are Fellows of The Australasian Institute of Mining & Metallurgy and employees of McDonald Speijers. There was no clear division of responsibility within the McDonald Speijers team in terms of the information that was prepared – Diederik Speijers and John McDonald are jointly responsible for the preparation of the Mineral Resource Estimate. Diederik Speijers and John McDonald have sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as Competent Persons as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Diederik Speijers and John McDonald, who are consultants to the Company, consent to the inclusion in the report of the matters based on their information in the form and context in which it appears.

The information in this document that relates to scandium Mineral Resources is based on information compiled by Sharron Sylvester, who is a Member and Registered Professional of the Australian Institute of Geoscientists and is an employee of OreWin Pty Ltd. Sharron Sylvester has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which she is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Sharron Sylvester, who is a consultant to the Company, consents to the inclusion in the report of the matters based on their information in the form and context in which it appears.

The information in this document that relates to Ore Reserves is based on information compiled by Michael Ryan, MAusIMM (109558), who is a full time employee of Preston Valley Grove Pty Ltd, trading as Inmett Projects. Michael Ryan has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Michael Ryan, who is a consultant to the Company, consents to the inclusion in the report of the matters based on his information in the form and context in which it appears. Michael Ryan holds options in Clean TeQ Holdings Limited, the ultimate parent entity of Scandium21 Pty Ltd, the owner of the Project.

For further details on the content of this presentation, please refer to the ASX releases on the Company's website.

# CONTACT

---



Robert Friedland  
Co-Chairman



Clean TeQ Holdings Limited  
12/21 Howleys Road  
Notting Hill VIC 3168  
AUSTRALIA

[www.cleanteq.com](http://www.cleanteq.com)